## **WEST Search History**

DATE: Friday, February 14, 2003

Set Name Query side by side		Hit Count Set Name result set		
$DB=USPT,PGPB,DWPI;\ THES=ASSIGNEE;\ PLUR=YES;\ OP=OR$				
L5	L1 same cysteine	8	L5	
L4	L1 same (mutation or stability or degradation or replacement or oxidation or storage)	. 34	L4	
L3	L2 and (@PD<19970523 or @RLAD<19970523)	121	L3	
L2	(OKT3 or (CRL adj1 8001) or CRL8001).bsum.	257	L2	
L1	OKT3 or (CRL adj1 8001) or CRL8001	1131	L1	

END OF SEARCH HISTORY







PubMed	Nucleotide Protein Genome Structure PMC Taxonomy OMIM Books			
Search PubMed				
	Limits Preview/Index History Clipboard Details			
• The Clipboard will hold a maximum of 500 items.				
	<ul> <li>Clipboard items will be lost after one hour of inactivity.</li> </ul>			
,				
Entrez PubMed	Display Summary ▼ Show: 20 ▼ Sort ▼ Send to Text ▼			
	Items 1-7 of 7 One page.			
	1: Rao PE, Kroon DJ. Related Articles, Links			
	Orthoclone OKT3. Chemical mechanisms and functional effects of degradation of a			
D. In Man of	therapeutic monoclonal antibody.			
PubMed Services	Pharm Biotechnol. 1993;5:135-58. Review. No abstract available. PMID: 8019692 [PubMed - indexed for MEDLINE]			
	2: Kroon DJ, Baldwin-Ferro A, Lalan P. Related Articles, Links			
	Identification of sites of degradation in a therapeutic monoclonal antibody by peptide mapping.			
	Pharm Res. 1992 Nov;9(11):1386-93.			
	PMID: 1475223 [PubMed - indexed for MEDLINE]			
	☐ 3: <u>Jolliffe LK.</u> Related Articles, Links			
Related	Humanized antibodies: enhancing therapeutic utility through antibody engineering.			
Resources Int Rev Immunol. 1993;10(2-3):241-50. Review.  PMID: 8360588 [PubMed - indexed for MEDLINE]				
	4: <u>Kipriyanov SM, Moldenhauer G, Martin AC, Kupriyanova OA, Little M.</u> Related Articles, Links Two amino acid mutations in an anti-human CD3 single chain Fv antibody fragment			
that affect the yield on bacterial secretion but not the affinity.				
	Protein Eng. 1997 Apr;10(4):445-53. PMID: 9194170 [PubMed - indexed for MEDLINE]			
	Tivins. 5154170 [Tubivied - Indexed for Massellines]			
	5: Choi I, De Ines C, Kurschner T, Cochlovius B, Sorensen V, Olafsen T, Sandlie I, Little M.			
	Recombinant chimeric OKT3 scFv IgM antibodies mediate immune suppression			
	while reducing T cell activation in vitro.			
	Eur J Immunol. 2001 Jan;31(1):94-106. PMID: 11169443 [PubMed - indexed for MEDLINE]			
	TIC Alcono MI Colling AM Dulito VI Procing DA Olson WC Zivin DA			
	6: Alegre ML, Collins AM, Pulito VL, Brosius RA, Olson WC, Zivin RA, Knowles R, Thistlethwaite JR, Jolliffe LK, Bluestone JA.			
Effect of a single amino acid mutation on the activating and immunos				
	properties of a "humanized" OKT3 monoclonal antibody.  J Immunol. 1992 Jun 1;148(11):3461-8.			
	PMID: 1534096 [PubMed - indexed for MEDLINE]			

article 1/2 2 20 1 00 - 70% 11 1:10

7: Adair JR, Athwal DS, Bodmer MW, Bright SM, Collins AM, F Rao PE, Reedman R, Rothermel AL, Xu D, et al.	Pulito VL. Related Articles, Links
Humanization of the murine anti-human CD3 monocl Hum Antibodies Hybridomas. 1994;5(1-2):41-7. PMID: 7858182 [PubMed - indexed for MEDLINE]	lonal antibody OKT3.
Display Summary V Show: 20 V Sort V	Send to Text ▼

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

Items 1-7 of 7

2/14/03 12:17 PM